

BASIX[®]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1783349M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Wednesday, 12 February 2025

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



| Project summary | | |
|--|-----------------------------|-------------|
| Project name | 141 Meehan street Yass | |
| Street address | 141 MEEHAN STREET YASS 2582 | |
| Local Government Area | YASS VALLEY | |
| Plan type and plan number | Deposited Plan 153884 | |
| Lot No. | B | |
| Section no. | - | |
| No. of residential flat buildings | 0 | |
| Residential flat buildings: no. of dwellings | 0 | |
| Multi-dwelling housing: no. of dwellings | 4 | |
| No. of single dwelling houses | 0 | |
| Project score | | |
| Water | ✓ 45 | Target 40 |
| Thermal Performance | ✓ Pass | Target Pass |
| Energy | ✓ 63 | Target 63 |
| Materials | ✓ -28 | Target n/a |

| Certificate Prepared by |
|---|
| Name / Company Name: LINEA VERDE DESIGN PTY LTD |
| ABN (if applicable): |

Description of project

Project address

| | |
|---------------------------|-----------------------------|
| Project name | 141 Meehan street Yass |
| Street address | 141 MEEHAN STREET YASS 2582 |
| Local Government Area | YASS VALLEY |
| Plan type and plan number | Deposited Plan 153884 |
| Lot No. | B |
| Section no. | - |

Project type

| | |
|--|---|
| No. of residential flat buildings | 0 |
| Residential flat buildings: no. of dwellings | 0 |
| Multi-dwelling housing: no. of dwellings | 4 |
| No. of single dwelling houses | 0 |

Site details

| | |
|--|--------|
| Site area (m ²) | 1483 |
| Roof area (m ²) | 343.60 |
| Non-residential floor area (m ²) | 0 |
| Residential car spaces | 7 |
| Non-residential car spaces | 0 |

Common area landscape

| | |
|---|----|
| Common area lawn (m ²) | 50 |
| Common area garden (m ²) | 10 |
| Area of indigenous or low water use species (m ²) | 10 |

Assessor details and thermal loads

| | |
|--|--------------------|
| Assessor number | - |
| Certificate number | - |
| Climate zone | - |
| Name of Certified Passive House Designer | Mohamed El-Hasssan |

Project score

| | | |
|---------------------|--------|-------------|
| Water | ✔ 45 | Target 40 |
| Thermal Performance | ✔ Pass | Target Pass |
| Energy | ✔ 63 | Target 63 |
| Materials | ✔ -28 | Target n/a |

Description of project

The tables below describe the dwellings and common areas within the project

Multi-dwelling houses

| Dwelling no. | No. of bedrooms | Conditioned floor area (m ²) | Unconditioned floor area (m ²) | Area of garden & lawn (m ²) | Indigenous species (min area m ²) |
|--------------|-----------------|--|--|---|---|
| 1 | 2 | 88.68 | 8 | 101 | 60 |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m ²) | Unconditioned floor area (m ²) | Area of garden & lawn (m ²) | Indigenous species (min area m ²) |
|--------------|-----------------|--|--|---|---|
| 2 | 1 | 47.43 | 4 | 85 | 60 |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m ²) | Unconditioned floor area (m ²) | Area of garden & lawn (m ²) | Indigenous species (min area m ²) |
|--------------|-----------------|--|--|---|---|
| 3 | 2 | 76.74 | 8 | 200 | 60 |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m ²) | Unconditioned floor area (m ²) | Area of garden & lawn (m ²) | Indigenous species (min area m ²) |
|--------------|-----------------|--|--|---|---|
| 4 | 2 | 71.52 | 8 | 105 | 60 |

No common areas specified.

Schedule of BASIX commitments

1. Commitments for multi-dwelling housing

(a) Dwellings

- (i) Water
- (ii) Energy
- (iii) Thermal Performance and Materials

2. Commitments for single dwelling houses

(a) Dwellings

- (i) Water
- (ii) Energy
- (iii) Thermal Performance and Materials

3. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

- (i) Materials

(b) Common areas and central systems/facilities

- (i) Water
- (ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for multi-dwelling housing

(a) Dwellings

| (i) Water | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below. | | | |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table). | ✓ | ✓ | |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it. | | ✓ | ✓ |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below. | | ✓ | ✓ |
| (e) The applicant must install: (aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and (bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. | | ✓ ✓ | ✓ ✓ |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below. | ✓ | ✓ | |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both). | | ✓ | |
| (g) The pool or spa must be located as specified in the table. | ✓ | ✓ | |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified. | ✓ | ✓ | ✓ |

| Dwelling no. | Fixtures | | | | | Appliances | | Individual pool | | | | Individual spa | | |
|---------------|-------------------------------|-----------------------------|------------------|-------------------|-------------------------------|---------------------|------------------|---------------------|------------|---------------|-------------|---------------------|-----------|------------|
| | All shower-heads | All toilet flushing systems | All kitchen taps | All bathroom taps | HW recirculation or diversion | All clothes washers | All dish-washers | Volume (max volume) | Pool cover | Pool location | Pool shaded | Volume (max volume) | Spa cover | Spa shaded |
| All dwellings | 4 star (> 4.5 but <= 6 L/min) | 6 star | 6 star | 6 star | - | - | - | - | - | - | - | - | - | - |

| Dwelling no. | Alternative water source | | | | | | | |
|---------------|----------------------------------|---------------------|---------------------|----------------------|-----------------------|--------------------|-------------|------------|
| | Alternative water supply systems | Size | Configuration | Landscape connection | Toilet connection (s) | Laundry connection | Pool top-up | Spa top-up |
| All dwellings | Central water tank (No. 1) | See central systems | See central systems | no | yes | yes | no | no |
| All dwellings | Central water tank (No. 2) | See central systems | See central systems | yes | no | no | no | no |

| (ii) Energy | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below. | | | |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system. | ✔ | ✔ | ✔ |
| (c) The applicant must install in the dwelling the ventilation system specified in the table below. | | ✔ | ✔ |
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms. | | ✔ | ✔ |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting. | | ✔ | ✔ |

| (ii) Energy | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|-------------------------|---|------------------------|
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight. | ✔ | ✔ | ✔ |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must: (aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and (bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. | | ✔ ✔ | |
| (h) The applicant must install in the dwelling: (aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below; (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table. | | ✔ ✔ ✔ | ✔ |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated". | | ✔ | |
| (j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system. | ✔ | ✔ | ✔ |


| Hot water | |
|------------------|------------------------|
| Dwelling no. | Hot water system |
| All dwellings | electric instantaneous |

| Ventilation | |
|--------------------|---|
| Dwelling no. | Ventilation system |
| All dwellings | Mechanical Ventilation with heat recovery (MVHR) system |

| Dwelling no. | Cooling | | Heating | | Natural lighting | |
|---------------|---|---|---|---|-----------------------------|--------------|
| | living areas | bedroom areas | living areas | bedroom areas | No. of bathrooms or toilets | Main kitchen |
| All dwellings | 1-phase airconditioning - ducted / 9 star (cold zone) | 1-phase airconditioning - ducted / 9 star (cold zone) | 1-phase airconditioning - ducted / 9 star (cold zone) | 1-phase airconditioning - ducted / 9 star (cold zone) | 2 | yes |

| Dwelling no. | Individual pool | | | Individual spa | | Appliances other efficiency measures | | | | |
|---------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|---|--|
| | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| All dwellings | - | - | - | - | - | electric cooktop & electric oven | - | - | yes | yes |

| Dwelling no. | Alternative energy | | |
|---------------|--|-------------------------------------|--------------------|
| | Photovoltaic system (min rated electrical output in peak kW) | Photovoltaic collector installation | Orientation inputs |
| All dwellings | - | - | - |

| (iii) Thermal Performance and Materials | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|---|------------------------------|-----------------|
| (a) The applicant must attach a report from the Passive House Planning Package (PHPP) software to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the report from the PHPP software to the application for an occupation certificate for the proposed development. | | | |
| (b) The report from the Passive House Planning Package (PHPP) software must be issued by the Certified Passive House Designer shown in this BASIX certificate. | | | |
| (c) The details of the proposed development on the report from the Passive House Planning Package (PHPP) software must be consistent with the details shown in this BASIX certificate. | | | |
| (d) The Verification section of the report from the PHPP software must show that the proposed development fulfils the space heating, space cooling and air tightness requirements. | | | |
| (e) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the report from the PHPP software requires to be shown on those plans. A written endorsement issued by the Passive House Certifier must be attached to certify that this is the case. |  | | |

| (iii) Thermal Performance and Materials | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|------------------|------------------------------|-----------------|
| (f) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the report from the PHPP software, and all aspects of the proposed development which were used to calculate those specifications. and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications. | | ✓ | |
| (g) The applicant must construct the development in accordance with all thermal performance specifications set out in the report from the PHPP software, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications. | | ✓ | ✓ |
| (h) The applicant must attach results from an onsite blower door test of the proposed development conducted by a registered tester in accordance with the relevant technical standards. Results from onsite blower door test must show air tightness of not exceeding 0.6 air changes per hour at 50 Pascals pressure (ACH50). | | | ✓ |
| (i) The applicant must construct the floors, walls, roofs, ceilings and glazing of the dwelling in accordance with the specifications listed in the tables below. In the case of windows, a 5% variance from the area values listed is permitted. | ✓ | ✓ | ✓ |
| (j) The applicant must show thorough receipts that the materials purchased for construction are consistent with the specifications listed in the tables below. | ✓ | ✓ | ✓ |

| Thermal loads | | | |
|---------------|---|---|---|
| Dwelling no. | Area adjusted heating load (in MJ/m ² /yr) | Area adjusted cooling load (in MJ/m ² /yr) | Area adjusted total load (in MJ/m ² /yr) |
| All dwellings | 0.0 | 0.0 | 50.800 |

| Construction of floors and walls | | | | | |
|----------------------------------|---|--|--|--|--|
| Dwelling no. | Concrete slab on ground (m ²) | Suspended floor with open subfloor (m ²) | Suspended floor with enclosed subfloor (m ²) | Suspended floor above garage (m ²) | Primarily rammed earth or mudbrick walls |
| 1 | 96.68 | - | - | - | - |
| 2 | 51.43 | - | - | - | - |
| 3 | 84.74 | - | - | - | - |
| All other dwellings | 79.52 | - | - | - | - |

| Floor types | | | | | | | | | | |
|--------------|-------------------------|------------|----------------------|-------------------|---|------------------------|------------|-------------------------------------|------------------------|------------|
| Dwelling no. | Concrete slab on ground | | | | Suspended floor above enclosed subfloor | | | Suspended floor above open subfloor | | |
| | Area (m ²) | Insulation | Low emissions option | Dematerialisation | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation |
| 1 | 96.68 | - | - | waffle pod slab | - | - | - | - | - | - |

| Floor types | | | | | | | | | | |
|---------------------|-------------------------|------------|----------------------|-------------------|---|------------------------|------------|-------------------------------------|------------------------|------------|
| | Concrete slab on ground | | | | Suspended floor above enclosed subfloor | | | Suspended floor above open subfloor | | |
| Dwelling no. | Area (m ²) | Insulation | Low emissions option | Dematerialisation | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation |
| 2 | 51.43 | - | - | waffle pod slab | - | - | - | - | - | - |
| 3 | 84.74 | - | - | waffle pod slab | - | - | - | - | - | - |
| All other dwellings | 79.52 | - | - | conventional slab | - | - | - | - | - | - |

| Floor types | | | | | | | | | | | | |
|---------------|--|------------------------|------------|------------------------------|------------------------|------------|-------------------|------------------------|------------|----------------------|-------------------|--|
| | First floor above habitable rooms or mezzanine | | | Suspended floor above garage | | | Garage floor | | | | | |
| Dwelling no. | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation | Low emissions option | Dematerialisation | |
| All dwellings | - | - | - | - | - | - | - | 0 | - | - | conventional slab | |

| External walls | | | | | | | | | |
|---------------------|--|------------------------|--------------------------|----------------------|----------------------|------------------------|------------|----------------------|--|
| | External wall type 1 | | | | External wall type 2 | | | | |
| Dwelling no. | Wall type | Area (m ²) | Insulation | Low emissions option | Wall type | Area (m ²) | Insulation | Low emissions option | |
| 1, 2 | framed (fibre cement sheet or boards), frame : timber - untreated softwood | 72 | fibreglass batts or roll | - | - | - | - | - | |
| All other dwellings | brick veneer, frame : timber - untreated softwood | 55 | fibreglass batts or roll | - | - | - | - | - | |

| External walls | | | | | | | | |
|----------------------|-----------|------------------------|------------|----------------------|----------------------|------------------------|------------|----------------------|
| External wall type 3 | | | | | External wall type 4 | | | |
| Dwelling no. | Wall type | Area (m ²) | Insulation | Low emissions option | Wall type | Area (m ²) | Insulation | Low emissions option |
| All dwellings | - | - | - | - | - | - | - | - |

| Internal walls | | | | | | | | | |
|-----------------------------------|-----------|------------------------|------------|---|------------------------|------------|----------------------|------------------------|------------|
| Internal walls shared with garage | | | | Internal wall type 1 | | | Internal wall type 2 | | |
| Dwelling no. | Wall type | Area (m ²) | Insulation | Wall type | Area (m ²) | Insulation | Wall type | Area (m ²) | Insulation |
| All dwellings | - | - | - | plasterboard, frame: timber - untreated softwood | 32.57 | - | - | - | - |

| Ceiling and roof | | | | | | | | | |
|-----------------------------|---|------------------------|---|--|------------------------|----------------|--------------------------|------------------------|----------------|
| Flat ceiling / pitched roof | | | | Raked ceiling / pitched or skillion roof | | | Flat ceiling / flat roof | | |
| Dwelling no. | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation |
| 1 | framed - terracotta tiles, frame: timber - untreated softwood | 106.34 | Ceiling:fibreglass batts or roll,Roof: foil/ sarking | - | - | Ceiling:,Roof: | - | - | Ceiling:,Roof: |
| 2 | framed - terracotta tiles, frame: timber - untreated softwood | 56.57 | Ceiling:fibreglass batts or roll,Roof: foil/ sarking | - | - | Ceiling:,Roof: | - | - | Ceiling:,Roof: |
| 3 | framed - metal roof, frame: timber - untreated softwood | 96.51 | Ceiling:fibreglass batts or roll,Roof: foil/ sarking | - | - | Ceiling:,Roof: | - | - | Ceiling:,Roof: |
| All other dwellings | framed - metal roof, frame: timber | 87.47 | Ceiling:fibreglass batts or roll,Roof: foil/ sarking | - | - | Ceiling:,Roof: | - | - | Ceiling:,Roof: |

| Ceiling and roof | | | | | | | | | |
|------------------|-----------------------------|------------------------|------------|--|------------------------|------------|--------------------------|------------------------|------------|
| | Flat ceiling / pitched roof | | | Raked ceiling / pitched or skillion roof | | | Flat ceiling / flat roof | | |
| Dwelling no. | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation | Construction type | Area (m ²) | Insulation |
| | - untreated softwood | | | | | | | | |

| | Glazing type | | | Frame types | | | | |
|---------------------|----------------------------------|----------------------------------|----------------------------------|------------------------------------|---------------------------------|-------------------------------|--------------------------------|------------------------------------|
| Dwelling no. | Single glazing (m ²) | Double glazing (m ²) | Triple glazing (m ²) | Aluminium frames (m ²) | Timber frames (m ²) | uPVC frames (m ²) | Steel frames (m ²) | Composite frames (m ²) |
| 1 | 32 | - | - | 32 | - | - | - | - |
| 2 | 19 | - | - | 19 | - | - | - | - |
| 3 | 21 | - | - | 21 | - | - | - | - |
| All other dwellings | 22 | - | - | 22 | - | - | - | - |

2. Commitments for single dwelling houses

(a) Dwellings

| (i) Water | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below. | | | |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table). | ✓ | ✓ | |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it. | | ✓ | ✓ |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below. | | ✓ | ✓ |
| (e) The applicant must install: <ul style="list-style-type: none"> (aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and (bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. | | ✓ ✓ | ✓ ✓ |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below. | ✓ | ✓ | |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both). | | ✓ | |
| (g) The pool or spa must be located as specified in the table. | ✓ | ✓ | |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified. | ✓ | ✓ | ✓ |
| (ii) Energy | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below. | | | |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system. | ✓ | ✓ | ✓ |
| (c) The applicant must install in the dwelling the ventilation system specified in the table below. | | ✓ | ✓ |

| (ii) Energy | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|-------------------------|---|------------------------|
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms. | | ✓ | ✓ |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting. | | ✓ | ✓ |
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight. | ✓ | ✓ | ✓ |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must: (aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and (bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. | | ✓ ✓ | |
| (h) The applicant must install in the dwelling: (aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below; (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table. | | ✓ ✓ ✓ | ✓ |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated". | | ✓ | |
| (j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system. | ✓ | ✓ | ✓ |
| (iii) Thermal Performance and Materials | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
| (a) The applicant must attach a report from the Passive House Planning Package (PHPP) software to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the report from the PHPP software to the application for an occupation certificate for the proposed development. | | | |

| (iii) Thermal Performance and Materials | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|-------------------------|---|------------------------|
| (b) The report from the Passive House Planning Package (PHPP) software must be issued by the Certified Passive House Designer shown in this BASIX certificate. | | | |
| (c) The details of the proposed development on the report from the Passive House Planning Package (PHPP) software must be consistent with the details shown in this BASIX certificate. | | | |
| (d) The Verification section of the report from the PHPP software must show that the proposed development fulfils the space heating, space cooling and air tightness requirements. | | | |
| (e) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the report from the PHPP software requires to be shown on those plans. A written endorsement issued by the Passive House Certifier must be attached to certify that this is the case. | ✔ | | |
| (f) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the report from the PHPP software, and all aspects of the proposed development which were used to calculate those specifications. and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications. | | ✔ | |
| (g) The applicant must construct the development in accordance with all thermal performance specifications set out in the report from the PHPP software, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications. | | ✔ | ✔ |
| (h) The applicant must attach results from an onsite blower door test of the proposed development conducted by a registered tester in accordance with the relevant technical standards. Results from onsite blower door test must show air tightness of not exceeding 0.6 air changes per hour at 50 Pascals pressure (ACH50). | | | ✔ |
| (i) The applicant must construct the floors, walls, roofs, ceilings and glazing of the dwelling in accordance with the specifications listed in the tables below. In the case of windows, a 5% variance from the area values listed is permitted. | ✔ | ✔ | ✔ |
| (j) The applicant must show thorough receipts that the materials purchased for construction are consistent with the specifications listed in the tables below. | ✔ | ✔ | ✔ |

3. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

| (i) Materials | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below. | | | ✓ |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below. | | ✓ | |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓ | ✓ | ✓ |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables. | | | ✓ |

Floor types

| Floor type | Area (m2) | Insulation | Low emissions option |
|------------|-----------|------------|----------------------|
| - | - | - | - |

External wall types

| External wall type | Construction type | Area (m2) | Low emissions option | Insulation |
|--------------------|-------------------|-----------|----------------------|------------|
| - | - | - | - | - |

Internal wall types

| Internal wall type | Construction type | Area (m2) | Insulation |
|--------------------|-------------------|-----------|------------|
| - | - | - | - |

Reinforcement concrete frames/columns

| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
|---|-------------|----------------------|
| - | - | - |

Ceiling and roof types

| Ceiling and roof type | Area (m ²) | Roof Insulation | Ceiling Insulation |
|-----------------------|------------------------|-----------------|--------------------|
| - | - | - | |

Glazing types**Frame types**

| Single glazing (m ²) | Double glazing (m ²) | Triple glazing (m ²) | Aluminium frames (m ²) | Timber frames (m ²) | uPVC frames (m ²) | Steel frames (m ²) | Composite frames (m ²) |
|----------------------------------|----------------------------------|----------------------------------|------------------------------------|---------------------------------|-------------------------------|--------------------------------|------------------------------------|
| - | - | - | - | - | - | - | - |

(b) Common areas and central systems/facilities

| (i) Water | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table. | | ✓ | ✓ |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓ | ✓ | ✓ |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table. | ✓ | ✓ | |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table. | | ✓ | |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table. | | ✓ | ✓ |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table. | | ✓ | ✓ |

| Common area | Showerheads rating | Toilets rating | Taps rating | Clothes washers rating |
|------------------|--------------------|--------------------|-------------|----------------------------|
| All common areas | no common facility | no common facility | 6 star | no common laundry facility |

| Central systems | Size | Configuration | Connection (to allow for...) |
|--|------|---|---|
| Central water tank - rainwater or stormwater (No. 1) | 5000 | To collect run-off from at least: - 96.68 square metres of roof area of buildings in the development - 80 square metres of impervious area in the development - 20 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). To divert overflow to Central water tank (No. 2) | - irrigation of 10 square metres of common landscaped area on the site - car washing in 2 car washing bays on the site |

| Central systems | Size | Configuration | Connection (to allow for...) |
|--|------|---|---|
| Central water tank - rainwater or stormwater (No. 2) | 5000 | To collect run-off from at least: - 51.43 square metres of roof area of buildings in the development - 30 square metres of impervious area in the development - 10 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). To divert overflow to Central water tank (No. 3) | - irrigation of 10 square metres of common landscaped area on the site - car washing in 2 car washing bays on the site |
| Central water tank - rainwater or stormwater (No. 3) | 5000 | To collect run-off from at least: - 84.74 square metres of roof area of buildings in the development - 70 square metres of impervious area in the development - 10 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). To divert overflow to Central water tank (No. 4) | - irrigation of 10 square metres of common landscaped area on the site - car washing in 2 car washing bays on the site |
| Central water tank - rainwater or stormwater (No. 4) | 5000 | To collect run-off from at least: - 79.52 square metres of roof area of buildings in the development - 60 square metres of impervious area in the development - 10 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). | - irrigation of 10 square metres of common landscaped area on the site - car washing in 2 car washing bays on the site |

| (ii) Energy | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified. | | ✓ | ✓ |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. | | ✓ | ✓ |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table. | ✓ | ✓ | ✓ |

| Central energy systems | Type | Specification |
|------------------------|------|---------------|
| Other | - | - |

Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

1. Commitments identified with a "✔" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✔" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✔" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).